

**Antenatal Corticosteroid Therapy Form  
INSTRUCTIONS**

Center Number:

Center Name:

Date:

Name and Position/Title of Person Completing Form:

Telephone Number:

---

The rate of antenatal steroid administration for a given time period is defined as:

$$\frac{\text{Number of Mothers Treated}}{\text{Number of Eligible Infants Reported to CPQCC}}$$

The attached data tables address factors that influence this rate: These factors are:

1. Accuracy in counting mothers who were treated.
2. Failure to treat mothers for whom treatment was planned.
3. Physician practice regarding eligibility, particularly with respect to certain conditions. These are preterm labor with tocolysis; preeclampsia/eclampsia/HELLP syndrome; premature preterm rupture of membranes (PPROM); gestational diabetes (GDM); vaginal bleeding/abruption/previa; and advanced cervical dilation.

**Worksheet I** addresses factors 1 and 2 above. Table I will help determine whether accuracy in counting treated mothers is a concern for your hospital. It will also provide information on failure to administer ordered steroids. To complete this table, you should review charts of mothers of infants listed in your CPQCC reports as not having received steroids. Please be sure to include review of those mothers whose infants might have been transferred or died.

**Worksheet II** addresses factor 3 above. To complete this table, you should review charts of mothers of infants listed in your CPQCC reports as not having received steroids. When completed, Table II provides insight into medical conditions negatively correlated with administration of steroids. You may also use Table II to identify physicians who administer steroids less frequently.



