

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

DO NOT man or tax tims form to the crique bata center. This form is for internal ase offer.					
NETWORK ID: HOSPITAL ID: HOSPITAL ID:					

Do not use this form if this infant qualifies as a delivery room death (DRD). If this infant is a DRD please fill out the DRD form.

- The "Identification and Demographics", "Maternal History" and "Delivery Room and First Hour After Birth" sections must be filled out when an eligible infant is admitted to your NICU.
- The "Post-Delivery Diagnoses and Interventions-Respiratory" (respiratory, infections, other diagnoses, surgeries, and surgical complications, neurological, and congenital malformations) and the "Initial Disposition" sections must be filled out when the baby is discharged for the first time from your center.
- The "Transport Information" section only needs to be filed out if the infant was transported after its initial stay.

SELECTION CRITERIA  To be eligible, you MUST answer YES to at least one of the possible criteria (A-C)								
<b>A.</b>	≤ 1500 grams	Yes (If Yes go to		☐ <b>No</b> (If No go to Part B)				
В.	GA range 22/0 - 31 6/7 weeks	Yes (If Yes go to		No (If No go to Part C)				
				_				
C.	If > 1500 grams  MUST check at least one to be eligible	☐ <b>Yes</b> (If Yes selec	t criteria below)	□ No				
	NOTE: Any infant that was previously d		e-admitted to any	location in our hospital (On or be-	fore Day 28) for Total			
	Serum Bilirubin=>25mg/dl (427 Microm				1010 Day 20, 101 10tal			
	☐ Death			☐ Acute Transport-In				
	Major Surgery with general ar	nesthesia or equivalent		Acute Transport-Out				
	☐ Intubated Vent > 4hrs			Early Bacterial Sepsis				
	<ul><li>☐ Non-Intubated Vent &gt; 4hrs</li><li>☐ Suspected Encephalopathy or</li></ul>	· Suspected Perinatal A	enhyvia	☐ Hyperbilirubinemia ☐ Active Therapeutic Hypotho	ermia			
	ouspected Enterphanopathy of	Suspected 1 cimatai 11	эрнума	Seizures	CIIIIa			
		INDENTIFICAT	ION AND DEMO	GRAPHICS				
1.	Birth Weight: grams							
			T-1	Ni-t D				
2.	Head Circumference at Birth:			Not Done				
3.	Best Estimate of Gestational Age:		b) Days	(0-6) Unknown				
4.	a. Birth Date: (MM-DD)	-2023						
	<b>b. Birth Time:</b> (00:00):::	_ (use 24-hour clock)						
5.	Infant Sex:							
6.	<b>Died in Delivery Room:</b>	s, Use DRD Form)	□ No					
7.	a. Location of Birth:							
	NOTE: For infants who were previously home, always check Outborn, even if the infant was born at your hospital or at a Co-Located Hospital (for Satellite NICUs only.)							
	b. Age in Days at Admission to your N	ICU: Date o	f Birth is Day 1					
	c. Hospital of Birth for Outborn Infant	s:	(Enter HCA	AI Code (Formerly OSHPD)	Unknown			
	d. Reason for Transport – In (If Locati	on of Birth is "Outbo	orn", select only o	ne response indicating the primar	v reason for transport			
	in):	011 01 211 11 10 0 0 0 10	in , sereet only si	ne response mercumg me primer	y reason for transport			
	□ECMO	☐ Growth/Discharg	e Planning	Other				
	☐ Hypothermic Therapy ☐ Surgery	Chronic Care		☐ Not Applicable				
	☐ Other Medical/Diagnostic Services	☐ Insurance		Unknown				
8.	Hospital Admission History (answer pa	•						
	NOTE: The Hyperbilirubinemia items 53 to 55 are activated ONLY if the infant was home after birth (item 8a). A home birth does NOT qualify for checking "Was Previously Discharged Home form a Hospital after Birth."							
	a. Discharged Home after Birth:	Scharged Home form	a nospital after Bi	rui.				
	S .	against after Divil		D' 1 1H C D' 1				
	☐ Never Discharged Home from a H	ospital after Birth	☐ Was Previously	Discharged Home after Birth	□NA			

 $\square$  NA

☐ First Admission to this NICU

# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2023

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

NETWORK ID: HOSPITAL ID: D. D. D. NICU Re-Admission Status after PDH:

Readmission to this NICU

	MATERNAL HISTORY						
0	a. Maternal Date of Birth: (MM/DD/)			□□ vears □ Unknown			
9. 10.	Maternal Race/Ethnicity: (answer both	<u> </u>					
10.	a. Is the Mother of Hispanic Origin?	Yes No	Unknown				
	b. Maternal Race (check only one)	☐ Black ☐ Na	tive Hawaiian/Pacific Islander nerican Indian/Alaska Native	☐ White ☐ Other ☐ Unknown			
11.	Prenatal Care: Yes	□ No □ Unkı	nown				
12.	Group B Strep Positive: Yes	□ No □ Not	Done Unknown				
13.	a. Is there documentation that Antena initiated before delivery?	atal Steroids therapy was	☐ Yes ☐ No	Unknown			
	b. Is there documentation in the medi- initiating antenatal steroid therapy only applicable and optional for inbor	before delivery? (This item is		Unknown			
	c. If Yes, what was the documented re NOT administrating antenatal ster (This item is only applicable and option inform infants who are <34 weeks GA	oids?	nfection ivery  malies incompatible with life	☐ History of adverse reaction to corticosteroids ☐ Comfort Care ☐ Other ☐ Unknown			
14.	Spontaneous Labor	□ No □ Unkı	nown				
15.	a. Multiple Gestation	□ No □ Unkı	nown				
	b. If Yes, to multiple gestation enter n	umber of infants delivered in	cluding stillborn	Unknown NA			
	c. Birth Order: Unknow			_			
16.			<u> </u>	Cesarean Unknown			
17.	_	None Ot Dis	her Infection [abetes [	Antenatal Magnesium Sulfate Other (describe): Unknown			
	h Hetal Antenatal Conditions =			☐ Other Fetal (describe): ☐ Unknown			
	c. Obstetrical Conditions Preter	rm (<37 wks) Labor rm (<37 wks) Premature ROM Premature ROM (≥37 wks) be e gestation)	before onset of labor	☐ Prolonged ROM (>18hrs) ☐ Malpresentation/Breech ☐ Bleeding/Abruption/Previa ☐ Other Obstetrical (describe):			
18.	Indications for Cesarean Section (selec	et at least one)					
	<ul> <li>Not Applicable (No C/S)</li> <li>□ Elective</li> <li>□ Malpresentation/Breech</li> <li>□ Dystocia/Failed to Progress</li> </ul>	☐ Multiple Gest: ☐ Placental Prob ☐ Non-Reassuri	olems [	☐ Hypertension ☐ Other (describe): ☐ Unknown			



DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY. **HOSPITAL ID: NETWORK ID: DELIVERY ROOM AND FIRST HOUR AFTER BIRTH** 19. **Delayed Cord Clamping** NOTE: For outborn babies it is acceptable that these variables are 'unknown', if this information is unavailable) ☐ No Unknown a. Was delayed umbilical cord clamping performed? ☐ Yes b. How long was umbilical cord clamping delayed? ☐ 30-60 secs ☐ 61-120 secs ☐ >120 secs ☐ NA ☐ Unknown c. If DCC was not done, reason why (optional)? ☐ Maternal Bleeding ☐ Neonatal Causes ☐ Other (specify) \_ ☐ No d. Was umbilical cord milking performed? Yes Unknown ☐ Yes □ No e. Did breathing begin before umbilical cord clamping? Unknown Unknown Unknown Unknown 20. **Apgar Scores:** 10min 1min 5min ☐ Not Done ☐ Not Done ☐ Not Done 21. Perinatal Asphyxia NOTE: that items 21a - 21e apply only to infants >1,500 grams AND items 21b - 21e apply if infant meets at least one of the following 1. Admitted with suspected encephalopathy or suspected perinatal asphyxia [Yes to item 21a] 2. 5-min Apgar ≤ 3 or 10-min Apgar ≤ 4 [item 20] 3. Received active hypothermia [Selective or Whole Body to item 24d] 4. Diagnosis with HIE [Mild/Moderate or Severe to item 51] Unknown a. Suspected Encephalopathy of Suspected Perinatal Asphyxia Low 5-min and/or 10-min ☐ Yes ■ NA Apgar Score? ☐ No ☐ Yes Unknown b. In there an umbilical cord blood gas or a baby blood gas in the first hour of life available?  $\prod$  NA ☐ No Cord Umbilical Arterial (UA) ☐ Venous Baby Gas Unknown c. Source of blood gas: ☐ Cord Umbilical Venus (UV) ☐ Capillary Baby Gas □ NA ☐ Arterial Baby Gas  $\square$  NA Unknown d. pH within one hour of life: Unknown □ NA ☐ Too Low to Register e. Base deficit: 22. **Delivery Room Resuscitation** Yes e. Epinephrine: ☐ Yes ☐ No Unknown a. Supplemental Oxygen: ☐ No Unknown ☐ Yes □ No Unknown Yes ΠNo b. Nasal CPAP: f. Cardiac Compressions: Unknown c. PPV via Bag/Mask: Yes ☐ No Unknown ☐ Yes ☐ No Unknown g. Noninvasive Ventilation d. ETT Ventilation ☐ Yes □ No Unknown h. Laryngeal Mask Airway (LMA) ☐ Yes □ No Unknown 23.





DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

	NETWORK ID: L	ш Ш		HOSPITAL II	D: L			
	POST-DELIVERY DIAGNOSES AND INTERVENTIONS - RESPIRATORY							
24.	Temperature and Cooling for HIE							
	a. Was the temperature measured within one hour	of the NI	CU admission?	[	Yes	□ No	☐ Unknown	n
	b. Enter first temperature either in Centigrade or F NOTE: The temperature <u>has</u> to be entered even if th cooling in your NICU or started cooling in your NICU temperature.	ne infant o	ontinued	·	°C _	·	°F	☐ Too Low ☐ Unknown
	c. Infant cooling status during stay at your NICU		No Cooling	Cooling Started	☐ Cooling C	ontinued [	Unknown	
	d. Last Cooling Method Used for HIE	ssive	Whole Body	Other U	nknown			
25.	Respiratory Support after Initial Resuscitation							
	a. Supplemental Oxygen	☐ Yes	☐ No	☐ Unknow	n			
	b. Intubated Conventional Ventilation	☐ Yes	☐ No	☐ Unknow	n			
	c. Intubated HIFI Ventilation	☐ Yes	☐ No	☐ Unknow	n			
		☐ Yes, flo	ow rate >2l/min	☐ Yes, flow☐ Unknow	$v \text{ rate } \leq 2l/\min_{v \in V}$	□Ye	s, flow rate unkno	own
	e. Noninvasive Ventilation (or any other form of no	on-intuba	ted assisted vent	tilation) [	☐ ≤4 hours	□ >4 ho	urs 🔲 No	Unknown
	f. Nasal CPAP	Yes (Alway	ys if 25e. is "Yes"	')	Unkn	own		
27.	Use of Intubated Assisted Ventilation			*				
	a. Length of Intubated Assisted Ventilation	□≤	4 hours	> 4 hours	No 🗆 Ur	ıknown		
	-		_	□□□ days	_			
	b. If Intubated Ventilation > 4 hours, specify ventil		-					
	c. If > 1 Episode of Intubated Assisted Ventilation,					nal)		
28.	Infant Death within 12 Hours of NICU Admission		Yes 🔲		Inknown			
29.	Respiratory Distress Syndrome		Yes		Inknown			
30.	Pneumothorax Yes, here	Yes, elsewl		here and elsewher	e No	J 🔲 t	Jnknown	
31.	Meconium Aspiration Syndrome	☐ Yes	☐ No	Unkno	wn			
32.	Caffeine for any Reason	☐ Yes	☐ No	☐ Unkno	wn			
33.	Intramuscular Vitamin A for any Reason	☐ Yes	☐ No	☐ Unkno	wn			
34.	Inhaled Nitric Oxide > 4 hours ☐ Yes, here	☐ Yes	, elsewhere	Yes, here and else	ewhere \Boxed N	lo 🗆	Unknown	
35.	ECMO Yes, here	Yes, elsewl	here	here and elsewher	e 🔲 No	J 🔲 t	Jnknown	
36.	Postnatal Steroids							
	a. Were postnatal steroids used?	es	□ No	Unknown				
	b. If postnatal steroids were used, select all reasons	that app	lied					
	Chronic Lung Disease: Yes, here	☐ Yes	, elsewhere	Yes, here and else	ewhere N	lo 🗆	Unknown	
	Extubation:	es	☐ No	Unknown				
	Hypotension/Blood Pressure:	es	☐ No	Unknown				
	Other Reason:	es	□ No	Unknown				
37.	Supplemental Oxygen on Day 28 Conti	inuous	☐ Intermittent	☐ None	Unkno	wn	□ NA	
38.	Respiratory Support at 36 weeks							
	a. Supplemental Oxygen:   Continuous	_			Unknown	□ NA	A	
	b. Intubated Conventional Ventilation	Yes	□ No	Unkno		NA		
	c. Intubated High Frequency Ventilation	Yes	□ No	Unkno		NA 🗖	, a	
	d. Nasal Cannula	☐ Yes,	flow rate >2l/mir	☐ Unkno			es, flow rate unkr	nown
	e. Noninvasive Ventilation	☐ Yes	☐ No	☐ Unkno	own	NA		
	f. Nasal CPAP	☐ Yes	☐ No	Unkno	own	NA		



**NETWORK ID:** 

# ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2023

HOSPITAL ID:

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

	POST-DELIVERY DIAGN	OSES AND INTE	RVENTIONS –	RESPIRATORY (continue)			
39.	Respiratory Monitoring and Support Devices a	_					
	NOTE: Responses to this item will be ignored if you do <u>not</u> answer item 57, Initial disposition from your Center!  If the infant had a tracheostomy in place at discharge, make sure to enter the surgery code \$101 as a major surgery under item 47b.						
	a. Apnea/Cardio-Respiratory Monitor	☐ Yes [	No	Unknown			
	b. Supplemental Oxygen:	☐ Yes [	No	Unknown			
	c. Intubated Conventional Ventilation	☐ Yes [	☐ No	Unknown			
	d. Intubated High Frequency Ventilation		_	Unknown	_		
	e. Nasal Cannula	Yes, flow rate	e >2l/min	☐ Yes, flow rate ≤ 2l/min☐ Unknown	☐Yes, flow rate unknown		
	f. Noninvasive Ventilation	☐ Yes [	☐ No	Unknown			
	g. Nasal CPAP	☐ Yes [	No	Unknown			
	POST-DELIVERY	DIAGNOSES AN	D INTERVENTI	ONS - INFECTIONS			
40.	Early Bacterial Sepsis and/or Meningitis on or	r before Day 3	Yes	□ No □ Unknown			
	NOTE: Please refer to Appendix B for the Bacterial In	fection Pathogen co	des				
	If Yes, specify up to 3 pathogen codes:			2	3		
44	Enter a description for pathogen code 8888 (or	ther):					
41.	Late Infection after Day 3:		4				
	NOTE: Please refer to Appendix B for the Bacterial In			V 1 1 1 1	□ NIA		
	a. Late Bacterial Sepsis and/or Meningitis	Yes, here Yes, elsewhere	е	Yes, here and elsewhere No	□ NA □ Unknown		
	If Yes, select up to 3 pathogens: Enter a description for pathogen code 8888			2 3			
	b. Coagulase Negative Staphylococci	Yes, here Yes, elsewhere		Yes, here and elsewhere No	□ NA □ Unknown		
	c. Fungal	Yes, here Yes, elsewhere		Yes, here and elsewhere No	□ NA □ Unknown		
42.	Congenital Infection			110	Chkhown		
72.	If Yes, select up to 3 pathogens:			2 3			
	Enter a description for pathogen code 8888 (or						
	POST-DELIVERY DIAGNOSE	S AND INTERVE	NTIONS – OTH	HER DIAGNOSIS / SURGERI	IES		
43.	_	ng revised 2011 VC			□ No		
	PDA Diagnosis based on echo and/or clinical evidence or was treated for PDA, Unknown but not meeting all 2011 VON criteria.						
	b. Indomethacin for any Reason	Yes	☐ No	Unknown			
	c. Ibuprofen for Prevention and Treatment of	PDA	☐ No	Unknown			
	d. Acetaminophen (Paracetamol) for Prevention and Treatment for PDA	on Yes	☐ No	Unknown			
	e. Infant received prostaglandin medication to maintain ductal patency	on to ☐ Yes (Applicable only if PDA is diagnosed) ☐ No ☐ Unl ☐ NA (If infant is not diagnosed with PDA)					
	f. PDA Ligation or PDA Closure by Catheteriz	☐ Yes ation ☐ No ☐ Unknown	own	☐ NA (If infan	at is not diagnosed with PDA)		
	g. Was PDA Surgery done in conjunction with Palliation of Congenital Heart Disease (S504)	Repair or	` •	oplicable only if 43f. is Yes) [ no PDA Ligation or Closure by	☐ No ☐ Unknown y Catheterization		

# CAQCC

## ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2023

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY. NETWORK ID: **HOSPITAL ID:** 44. a. Probiotics ☐ Yes ☐ No Unknown  $\hfill \square$  Yes, here and elsewhere b. Necrotizing ☐ Yes, here ☐ Yes, elsewhere ☐ No Unknown Enterocolitis □ NA Yes, here Yes, here and elsewhere ☐ No ☐ Unknown c. NEC Surgery Yes, elsewhere Surgically Confirmed or Clinically Diagnosed Focal Intestinal Perforation: 45. Focal Intestinal Perforation ☐ Yes, elsewhere Yes, here and elsewhere ☐ No Unknown Surgically Confirmed or Clinically Diagnosed ☐ Surgically Confirmed ☐ Clinically Diagnosed ☐ NA Unknown



DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

	NETWORK ID:		HOSPITAL ID:			
	POST-DELIVERY DIAGNOSES	AND INTERVENTION	S – OTHER DIAGNOSI	S / SURGERIES	(continue)	
46.	46. Retinopathy of Prematurity  NOTE: This section is only applicable to infants 401 -1,500 grams or 22 – 31 completed unless your NICU participates in the VON expanded data collection.					
	a. Was a retinal exam performed?	Yes	] No Unknown	□NA		
	b. If retinal exam was performed, enter we		□0, No ROP □1 [		4 🔲 5 🔲 Unknown 🔲 NA	
	c. Treatment of ROP with Anti-VEGF Dr		No Unkno	_		
	d. ROP Surgery (for infants with ROP sta higher)	<b>ge 1 or</b>	, here ☐ Ye , elsewhere ☐ No	s, here and elsew	here Unknown NA	
47.	a. Major Surgery (Not NEC, ROP, PDA)	Yes No	Unknown			
	b. If Yes, Enter up to 10 surgery codes:					
	Specify the location of the surgery, and – surgical site infection (SSI) occurred at you		performed at <u>your hosp</u>	<u>ital</u> only (never	elsewhere) – whether or not a	
	Code 1	Location: Here	Elsewhere	Both	SSI Here	
	Code 2	Location: Here	☐ Elsewhere	Both	SSI Here	
	Code 3	Location: Here	☐ Elsewhere	Both	SSI Here	
	Code 4	Location: Here	☐ Elsewhere	Both	SSI Here	
	Code 5	Location: Here	☐ Elsewhere	Both	SSI Here	
	Code 6	Location: Here	☐ Elsewhere	Both	SSI Here	
	Code 7	Location: Here	☐ Elsewhere	Both	SSI Here	
	Code 8	Location: Here	Elsewhere	Both	SSI Here	
	Code 9	Location: Here	Elsewhere	Both	SSI Here	
	Code 10	Location: Here	☐ Elsewhere	Both	SSI Here	
	NOTE: If infant had NEC surgery, one of the follo	isted: S302, S303, S308, S3	09 or \$333			
NOTE: If infant had a PDA Ligation or a PDA Closure by Catheterization, one of the following surgeries should be listed:					: \$515, \$516 or \$605	
	Provide description for surgery codes \$100	0, S200, S300, S500, S600	, S700, S800, S900 ANI	S1000:		



DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY.

	NETWORK ID:		HOSPITAL ID:				
	POST-DELIVERY DIAGNOSES A	ND INTERVENT	IONS – OTHER DI	AGNOSIS / SURGERIES			
48.	Intracranial Hemorrhage						
	a. Neural Imaging done on or before Day 28	☐ Yes	☐ No	Unknown			
	b. If neural imaging was done on or before Day 28 enter worst grade of peri-intraventricular hemorrhage:		emorrhage 🔲 1	□ 2 □ 3 □ 4 □ Unknown □ NA			
	c. If peri-intraventricular hemorrhage was present where was it first diagnosed?	,  Here	Elsewhere	☐ Unknown ☐ NA			
	d. If peri-intraventricular hemorrhage was present was shunt placed for bleed?	Yes Yes	☐ No	Unknown			
	e. If neural imaging was done on or before Day 28 was any other intracranial hemorrhage found?  Describe Other:	Yes	□ No	Unknown			
49.	Cystic Periventricular Leukomalacia (CPVL) & C	erebellar Hemorr	hage				
	a. Was a neural image done?	☐ Yes	☐ No	Unknown			
	b. If neural image done, evidence of Cystic PVL?	☐ Yes	☐ No	Unknown			
	c. Cerebellar Hemorrhage	☐ Yes	☐ No	Unknown			
50.	Seizures, EEG or Clinical	Yes	☐ No	Unknown			
51.	Hypoxic-Ischemic Encephalopathy	☐Mild ☐	Moderate  Sever	re 🗌 None 🔲 Unknown 🗎 NA			
	CONGENITAL MAL	IFORMATION	IS / HYPERBIL	JRUBINEMIA			
52.	a. Congenital Anomalies	☐ No	Unknown				
	b. If Yes, enter up to 5 congenital anomaly codes:						
	Code 1 Code 2	Code 3	Code 4.	Code 5			
	Enter a congenital anomaly description for codes	100, 150, 200, 300,	, 400, 504, 601, 605,	800 and 900:			
53.	NOTE: The following items 53-55 pertain to ANY infant that was previously discharged home and re-admitted before day 28.						
	a. Maximum Level of Bilirubin (mg/dl) found On THIS Re Admission						
	b. Exchange Transfusion on THIS Re- Yes No Unknown Admission						
	c. Hospital that Discharged Infant Home Prior to THIS Admission:						
54.	Primary Caregiver's Preferred Language: Please select the primary caregiver's preferred language.						
	Arabic	Hmong/Miao		☐ Spanish			
	☐ Armenian ☐ ☐	apanese		☐ Tagalog			
	☐ Cambodian/Khmer ☐	Korean		☐ Thai			
	☐ Cantonese ☐ 3	Mandarin		☐ Vietnamese			
	☐ English	Mixteco		Sign Language			
	☐ Farsi/Persian ☐	Punjabi		Other, Describe:			
	Hindi	Russian		Unknown			
55.	Did the primary caregiver require interpreter servi	ces (either in-per	cson or remote)				
	during this hospitalization?	□ No	☐ Not Applical	ble (If primary language is English) 🔲 Unknown			



66.

67.

Ultimate Disposition

Final Discharged Date: (MM-DD-YYYY)

Home

☐ Died

## **ADMISSION/DISCHARGE FORM FOR INFANTS BORN IN 2023**

DO NOT mail or fax this form to the CPQCC Data Center. This form is for internal use ONLY. **NETWORK ID: HOSPITAL ID: INITIAL DISPOSITION** ☐ None Unknown ☐ Human Milk with Fortifier or Formula 56. Enteral Feeding at Discharge ☐ Human Milk Only Formula Only Home ■ Unknown ☐ Transported 57. Initial Disposition from your Center ☐ Died ☐ Still Hospitalized as of 1st Birthday ☐ Unknown 58. Weight at Initial Disposition grams 59. Head Circumference at Initial Unknown ☐ Not Done \_\_cm Disposition Unknown 60. Initial Discharge Date: (MM-DD-YYYY) **POST-TRANSPORT STATUS** NOTE: If infant was transported to another hospital, complete items 61 - 63. П ЕСМО ☐ Growth/Discharge Planning Unknown 61. Reason for Transport ☐ Hypothermic Therapy Chronic Care Other Reason ☐ Surgery ☐ Insurance ☐ Not Applicable ☐ Other Medical/Diagnostic Services 62. Hospital the infant was transported to: Re-Admitted to your hospital (continue with item Home (skip to item 67) 63. Post-Transport Disposition Transport again to another hospital (skip to Still Hospitalized as of 1st Birthday (skip to item 67) item 66) Unknown Died (skip to item 67) NOTE: Complete items 64 - 65 for infants who were initially transported from or center and then transported back to your center without every going home. For these infants, it is necessary to update items 23, 25 - 27, and 29 - 56 with information that should be obtained from the episode of care at the hospital the infant was transported to and the care upon re-admission at your center. The intention is to capture the cumulative interventions received by the infant while the infant was in your NICU before and after transport and while the infant was at the transport-out NICU. NOTE: That these items do not need to be tracked for subsequent transports and re-admissions. Unknown 64. Weight after Re-Admission ☐ Home (skip to item 67) Still Hospitalized as of 1st Birthday (skip to item 67) 65. Disposition after Re-Admission ☐ Transport again to another hospital Unknown ☐ Died (skip to item 67) NOTE: Complete item 66 for infants who were initially transported from your center and then a) either transported again to another hospital, or b) re-admitted to your center and then transported from your hospital to another hospital.

Still Hospitalized as of 1st Birthday

Unknown